



# FUME EXTRACTOR

## **PRODUCT BROCHURE- FE150L**

Contains the most comprehensive and  
high-quality smoke purifier


# KIANTECH

# Features:

- 360° Adjustable Universal Smoking Pipe
- High-power Brushless DC Motor for strong suction and low noise
- Simple Operation, Compact Size




# Features:



# Effective Purification


**99.99%**  
**EFFECTIVE FILTRATION PURIFICATION**



**NO.1**

**Primary Effect Cotton**

(Large particles such as dust and debris.)



**NO.2**

**HEPA Filter Filter**


(Particles as PM2.5 and 0.5um)



**NO.3**

**Composite Carbon Filter**

(Toxic substances and harmful gases)



The primary, medium and main filter elements can be replaced separately, which prolongs the service life and reduces the use cost.

# TECHNICAL SPECIFICATIONS

INPUT VOLTAGE AC 220V

Power 150W

Port Diameter  $\Phi 55$

Air Flow 258m<sup>3</sup>/h

Filter Layers 3 Layers

Noise 50-60dB

Pipe Length 1.2m

Filtration Efficiency >0.3 $\mu$ m 99.97%

Display Mode Knob Indication

Dimensions 280\*240\*315mm

Weight 13kg

**KIANTECH** guarantees that the Fume Extractor is free from any defect in material and workmanship within Two years from the purchase date. This warranty does not apply to damages caused by accident, negligence, misuse, modification, contamination or improper handling. If you need warranty service within the warranty period, please contact your seller directly. **KIANTECH** will not be responsible for any special, indirect, incidental or subsequent damage or loss caused by using this device.

